

STANLEY®

MAFERSA
S.A.I.C

SOLDADORA INVERTER STAR 7000

 ORIGEN ITALIA



IGBT
INSULATED
GATE
BIPOLAR
TRANSISTOR

EMC
EN60974-10

SAFETY
LVD
EN60974-1

CE




1 PH


1,5/2,5 mm²
20/25 mt
20° C

ANTISTICK
ARCFORCE
HOTSTART

									
Main voltage	Absorbed Power	No Load Voltage	Welding Current	Duty Cycle		*Normal Use	Min-Max Electrode	Insulation Class	Protection Degree
230V, 50/60 Hz	7,0 KVA	90V	25 - 200 A	200 A	6	200 A @ 40%	1,6-4(5) mm	H	IP 21S

STANLEY®

MAFERSA
S.A.I.C

SOLDADORA INVERTER STAR 4000 ORIGEN ITALIA



CÓDIGO
MAFERSA 12686

									
Main Voltage	Absorbed Power	No Load Voltage	Welding Current	Duty Cycle		*Normal Use	Min-Max Electrode	Insulation Class	Protection Degree
230V, 50/60 Hz	5,3 KVA	90V	25-160A	160 A	6	160 A @ 45%	1,6-4 mm	H	IP 21S

STANLEY®

SOLDADORA INVERTER SUPER TIG LIFT 180



ORIGEN ITALIA



Main Voltage	Absorbed Power	No Load Voltage	Welding Current	Duty Cycle	Min-Max Electrode	Insulation Class	Protection degree	Connectable to Power Generator	
230V, 50/60 Hz	3,2 KVA	90V	25 - 160A	160 A 30	1,6-4 mm	H	IP 21S	8,0KVA	

MAFERSA
S.A.I.C

CÓDIGO
MAFERSA 12689

STANLEY®

POWER 185



		Vo Peak	I₂ MMA Welding Current	I₂ max Duty Cycle	X%	 Min-Max Electrode	 Insulation Class	IP Protection degree	 Connectable to Power Generator
Main Voltage	Absorbed Power	No Load Voltage	Welding Current	Duty Cycle		Min-Max Electrode	Insulation Class	Protection degree	Connectable to Power Generator
230V, 50/60 Hz	3,2 KVA	90V	25 - 160A	160 A 30		1,6-4 mm	H	IP 21S	8,5KVA

MAFERSA

S.A.I.C

CÓDIGO
MAFERSA 12688

STANLEY®

MÁSCARA E-PROTECTION 2000 E ELECTRONIC



ORIGEN ITALIA



LCD
FILTER

AUTOMATIC
TECHNOLOGY

UV/IR
PROTECTION

SOLAR POWER

SENSORS

SENSITIVITY
& DELAY

ADJUSTABLE



SHADE
DIN 4/9-13




VIEWING AREA
89x39 mm



SENSITIVITY
REG



CLASSIFICATION
1/1/1/2



DELAY TIME
0,1-1,0 s



SWITCHING
0,3 ms

LCD



MAFERSA

S.A.I.C

CÓDIGO
MAFERSA 12690

- Máscara de soldadura LCD automático con batería y célula fotovoltaica incorporada para el uso sin fuente de alimentación
- Filtro regulable DIN 9-13
- 5 - 400 AMP
- Soldadura MMA / TIG / MIG / MAG, corte por plasma y todo tipo de soldadura
- Tamaño ajustable

STANLEY®



ELITE 300
88301AA

MAFERSA
S.A.I.C

CÓDIGO
MAFERSA 12691

STANLEY®

MAFERSA
S.A.I.C



EARTH 300
89301AA

CÓDIGO
MAFERSA 12692